

## Serie | 6, Flex induction ploča za kuhanje, 30 cm, PXX375FB1E



### Posebni dodatni pribor

HEZ390512 : Teppan Yaki  
HEZ390522 : Roštilj ploča  
HEZ394301 : Spojna letvica  
HEZ9SE040 : Dodatni pribor za aparate za kuvanje

## Indukcijska ploča za kuhanje FlexInduction: više lonaca ili veliku posudu možete po želji položiti na fleksibilnu zonu za kuhanje.

- **DirectSelect:** izravan, jednostavan odabir željene zone kuhanja, snage i dodatnih funkcija.
- **FlexInduction zona:** Veća fleksibilnost s kombiniranjem zona kuhanja u jednu veliku zonu za manje lonce i veliko kuhinjsko posuđe.
- **PowerBoost:** do 50% više snage za brže zagrijavanje.
- **Funkcija QuickStart:** odmah i bez odgode možete započeti i odabrati željenu razinu kuhanja za svoj lonac.
- **ReStart:** ako nešto prekupi, ploča za kuhanje će se automatski isključiti i pohraniti posljednju odabranu postavku.

### Tehnički podaci

Grupa proizvoda / linija proizvoda : Vario/Domino cooking zone cera

Grupa proizvoda / linija proizvoda : Vario/Domino cooking zone cera

Ugradbeni / samostojeći : Ugradbeni

Ugradbeni / samostojeći : Ugradbeni

Dovod električne energije : Električan

Dovod električne energije : Električan

Ukupan broj polja koja se mogu istovremeno upotrebljavati : 2

Ukupan broj polja koja se mogu istovremeno upotrebljavati : 2

Potrebna veličina niše za ugradnju (VxŠxD) : 51 x 270 x 490-500 mm

Potrebna veličina niše za ugradnju (VxŠxD) : 51 x 270 x 490-500 mm

Širina proizvoda : 306 mm

Širina proizvoda : 306 mm

Dimenzije proizvoda : 51 x 306 x 527 mm

Dimenzije proizvoda : 51 x 306 x 527 mm

Dimenzije zapakiranog proizvoda (Vx ŠxD) : 110 x 370 x 573 mm

Dimenzije zapakiranog proizvoda (Vx ŠxD) : 110 x 370 x 573 mm

Neto težina : 7,7 kg

Neto težina : 7,7 kg

Bruto težina : 8,3 kg

Bruto težina : 8,3 kg

Indikator preostale topline : Separate

Indikator preostale topline : Separate

Položaj komandne ploče : Sprijeda

Položaj komandne ploče : Sprijeda

Boja površine : , Alu, brushed

Boja površine : , Alu, brushed

Certifikati odobrenja : AENOR, CE

Certifikati odobrenja : AENOR, CE

Dužina kabela za napajanje : 110 cm

Dužina kabela za napajanje : 110 cm

EAN kod : 4242002839738

EAN kod : 4242002839738

Nazivni podaci električnog priključka : 3700 W

Nazivni podaci električnog priključka : 3700 W

Napon : 220-240 V

Napon : 220-240 V

Frekvencija : 60; 50 Hz

Frekvencija : 60; 50 Hz



4 242002 839738

## **Serie | 6, Flex induction ploča za kuhanje, 30 cm, PXX375FB1E**

**Indukcijska ploča za kuhanje FlexInduction:  
više lonaca ili veliku posudu možete po želji  
položiti na fleksibilnu zonu za kuhanje.**

---

### **Dizajn:**

- Izbrušeni prednji rub, ukrasne letvice sa strane
- Za kombinaciju s drugim staklokeramičkim pločama u comfort design
- Za kombinaciju sa 60, 70, 80 ili 90 cm staklokeramičkim pločama za kuhanje

### **Komfor:**

- 2 indukcijska polja za kuhanje, prepoznavanje veličine dna posude
- FlexInduction polje
- DirectSelect upravljanje
- Digitalni zaslon TopControl
- Elektronički programski sat s funkcijom isključivanja i opomenom za svako polje za kuhanje  
Brojač vremena kuhanja
- Prikaz potrošnje energije
- QuickStart funkcija
- ReStart funkcija

### **Polja za kuhanje:**

- Polja za kuhanje: 1 x Ø 400 mm x 210 mm, 3.3 kW (maks. snaga 3.7 kW) ali 2 x Ø 200 mm, 2.2 kW (maks. snaga 3.7 kW)
- Podešavanje snage: 17 stupnjeva

### **Sigurnost:**

- Prepoznavanje veličine dna posude  
Funkcija PowerManagement  
Sigurnosno isključivanje  
Dječija sigurnosna brava
- Digitalni dvostupanjski indikator preostale topline za svako polje za kuhanje
- Glavni prekidač

### **Brzina:**


- Funkcija PowerBoost za sva polja za kuhanje

### **Dimenzije:**

- Dimenzije (ŠxD): 306 mm x 527 mm
- Ugradbene dimenzije (VxŠxD): 51 mm x 270 mm x 490 mm
- Min. debljina radne površine: 16 mm
- Fiksni priključni kabel
- Priključni kabel 110 cm
- Priključna snaga: 3.7 KW


## Serie | 6, Flex induction ploča za kuhanje, 30 cm, PXX375FB1E

measurements in mm




When installing two Domino units right next to a hob, two assembly kits (HEZ394301) are required.

measurements in mm



When installing two or more Domino units side-by-side, one or more assembly kits are required (2 units = 1 assembly kit, 3 units = 2 assembly kits, etc.).

measurements in mm  
Picture for the table Domino combination possibilities with corresponding devices and cutout dimensions



If two or more elements are installed right next to one another, one or several installation kits are required (2 elements 1 installation kit, 3 elements 2 installation kits, etc.).


Cutout dimension (X) depending on the combination see table:

Mjere u mm  
Mogućnost kombiniranja Domino-a s odgovarajućim mjerama uređaja i izreza

Tip širine:  
Širina uređaja:


	A	B	C	D	L	X		
2x30	306	306	-	-			612	<b>576</b>
1x30, 1x40	306	396	-	-			702	<b>666</b>
1x30, 1x60	306	606	-	-			912	<b>876</b>
1x30, 1x70*	306	710	-	-			1016	<b>980</b>
1x30, 1x80	306	816	-	-			1122	<b>1086</b>
1x30, 1x90	306	916	-	-			1222	<b>1186</b>
2x40	396	396	-	-			792	<b>756</b>
1x40, 1x60	396	606	-	-			1002	<b>966</b>
1x40, 1x70*	396	710	-	-			1106	<b>1070</b>
1x40, 1x80	396	816	-	-			1212	<b>1176</b>
1x40, 1x90	396	916	-	-			1312	<b>1276</b>
3x30	306	306	306	-			918	<b>882</b>
2x30, 1x40	306	306	396	-			1008	<b>972</b>
2x30, 1x60	306	306	606	-			1218	<b>1182</b>
2x30, 1x70*	306	306	710	-			1322	<b>1286</b>
2x30, 1x80	306	306	816	-			1428	<b>1392</b>
2x30, 1x90	306	306	916	-			1528	<b>1492</b>
1x30, 2x40	306	396	396	-			1098	<b>1062</b>
1x30, 1x40, 1x60	306	396	606	-			1308	<b>1272</b>
1x30, 1x40, 1x70*	306	396	710	-			1412	<b>1376</b>
1x30, 1x40, 1x80	306	396	816	-			1518	<b>1482</b>
1x30, 1x40, 1x90	306	396	916	-			1618	<b>1582</b>
2x40, 1x60	396	396	606	-			1398	<b>1362</b>
4x30	306	306	306	306			1224	<b>1188</b>

measurements in mm  
Assembly kit (HEZ394301) for Domino





B: Dependent on the cut-out depth

measurements in mm




When installing a Domino unit right next to a hob, an assembly kit (HEZ394301) is required.

## Serie | 6, Flex induction ploča za kuhanje, 30 cm, PXX375FB1E




mjere u mm




① Treba predvidjeti prerez za ventilaciju.

mjere u mm



When installing two or more Domino units side-by-side, one or more assembly kits are required (2 units = 1 assembly kit, 3 units = 2 assembly kits, etc.).



mjere u mm