



Perilice sušilice

CBD 485TWME/1-S

ENVIRONMENTAL PROPERTIES OR CHARACTERISTICS

Product recyclability

Recycled material in the product

Rare earths in the product, contains
at least (mg)

Precious metals in the product,
contains at least (mg)

Recycled material in the packaging

Possibility of reusing packaging

GLAVNE ZNAČAJKE

Identifikacijska oznaka modela

CBD 485TWME/1-S

Šifra proizvoda

31800950

TEHNIČKE KARAKTERISTIKE

IoT App

None

GLAVNE ZNAČAJKE

Barkod

8059019022291

Ugradbena / Samostojeća

Ugradbena

Kapacitet pranja - pamuk (kg)

8

Kapacitet sušenja - pamuk (kg)

5

Maksimalna brzina centrifuge (rpm)	1400
------------------------------------	------

TEHNIČKE KARAKTERISTIKE

Povezivanje	Nema
-------------	------

Elektronika / zaslon	Touch
----------------------	-------

Materijal bubnja	Nehrđajući čelik
------------------	------------------

Motor	Inverter BPM
-------	--------------

Vrsta utikača	Schuko
---------------	--------

Napon (V)	220-240
-----------	---------

PROGRAMI I FUNKCIJE

Woolmark certifikat	Ne
---------------------	----

Quick dry funkcija	Ne
--------------------	----

Broj programa	15+1
---------------	------

Odgoda početka	Da (do 24h)
----------------	-------------

Tehnologija	Mix Power System
-------------	------------------

Funkcija pare	Ne
---------------	----

DIZAJN

Boja / materijal uređaja	Bijela
--------------------------	--------

Boja / materijal vrata	Bijela
------------------------	--------

Boja / materijal ručke	
------------------------	--

ENERGETSKE ZNAČAJKE

Razred energetske učinkovitosti za ciklus pranja (program ECO 40-60°C)	A
--	---

Razred energetske učinkovitosti za ciklus pranja i sušenja	D
--	---

Razred učinkovitosti centrifugiranja	B
--------------------------------------	---

Ponderirana potrošnja energije na 100 ciklusa za ciklus pranja (kWh)	47
--	----

Ponderirana potrošnja energije na 100 ciklusa za potpuni ciklus pranja i sušenja (kWh)	266
--	-----

Trajanje programa ECO 40-60°C za nazivni kapacitet (hh:mm)	218
--	-----

Trajanje ciklusa pranja i sušenja za nazivni kapacitet (hh:mm)	550
--	-----

Razina buke tijekom faze centrifuge (dBA)	75
Razred emisije buke koja se prenosi zrakom	B
Potrošnja vode po ciklusu pranja (program ECO 40-60°C) pri kombinaciji potpunog i djelomičnog kapaciteta (L)	44
Potrošnja vode po ciklusu pranja i sušenja (L)	75
	DIMENZIJE
Visina (cm)	82
Širina (cm)	60
Puna dubina, uključena vrata i cijevi (cm)	54
Cabinet depth mm (without pipes and door)	470
Visina zapakiranog uređaja (mm)	875
Širina zapakiranog uređaja (mm)	650
Dubina zapakiranog uređaja (mm)	570
Neto težina (kg)	64
Bruto težina (kg)	66